

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8136	((380/1) or (380/201-203) or (380/228) or (380/239) or (380/37) or (380/241) or (380/255) or (726/2-3) or (726/27) or (726/34) or (713/171) or (713/193) or (713/187) or (713/189)).CCLS.	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22
L2	266	(processor\$1 microprocessor\$1) near5 (decrypt\$7 decipher\$8) near4 (software\$1 program \$3 application\$1)	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22
L3	16514	(processor\$1 microprocessor\$1) near5 (id identifier\$1 identification\$1 (serial \$1 near2 number\$1) (identify\$3 near2 number))	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22
L4	50	L2 and L3	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22
L5	49	L4 and (encrypt\$8 encipher\$9 cipher\$9)	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22
L6	7376	(encrypt\$8 encipher \$9 cipher\$9) near5 (id identifier\$1 identification\$1 (serial \$1 near2 number\$1) (identify\$3 near2 number))	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22
L7	35	L5 and L6	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22
L8	454	L1 and L3	USPAT; IBM_TDB	OR	ON	2010/05/24 14:22

L9	939	(processor\$1 microprocessor\$1) near8 (encrypt\$9 cipher\$8 encipher\$8 decrypt\$7 decipher\$8) near8 (software\$1 program\$3 application\$1)	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22
L10	50	L8 and L9	USPAT; IBM_TDB	OR	ON	2010/05/24 14:22
L11	20666	(processor\$1 microprocessor\$1 cpu micro-processor\$1) near5 (id identifier\$1 identification\$1 (serial\$1 near2 number\$1) (identify\$3 near2 number))	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22
L12	618	L1 and L11	USPAT; IBM_TDB	OR	ON	2010/05/24 14:22
L13	59	L9 and L12	USPAT; IBM_TDB	OR	ON	2010/05/24 14:22
L14	59	L13 and (encrypt\$8 encipher\$9 cipher\$9)	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22
L15	487	(processor\$1 microprocessor\$1 cpu micro-processor\$1) near6 (decrypt\$7 decipher\$8) near6 (software\$1 program\$3 application\$1)	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22
L16	27	L14 and L15	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22
L17	5594	(processor\$1 microprocessor\$1 cpu micro-processor\$1) near6 (access\$8 obtain\$4 get\$3 regulat\$4 tak\$3 control\$4) near6 (id identifier\$1 identification\$1 (serial\$1 near2 number\$1) (identify\$3 near2 number))	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22

L18	1539	(processor\$1 microprocessor\$1 cpu micro-processor \$1) near6 (access\$8) near6 (id identifier\$1 identification\$1 (serial \$1 near2 number\$1) (identify\$3 near2 number))	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22
L19	1250	(processor\$1 microprocessor\$1 cpu micro-processor \$1) near8 (encrypt\$9 cipher\$8 encipher\$8 decrypt\$7 decipher \$8) near8 (software\$1 program\$3 application \$1)	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22
L20	49	L18 and L19	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22
L21	49	L11 and L20	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22
L22	46	L21 and (decrypt\$7 decipher\$8)	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22
L23	46	L22 and (encrypt\$8 encipher\$9 cipher\$9)	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22
L24	108	L17 and L19	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22
L25	100	L11 and L24	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22
L26	90	L25 and (decrypt\$7 decipher\$8)	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22
L27	88	L26 and (encrypt\$8 encipher\$9 cipher\$9)	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22
L28	7644	(encrypt\$8 encipher \$9 cipher\$9) near5 (id identifier\$1 identification\$1 serial \$1 (identify\$3 near2 number))	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22
L29	1196	L28 and L11	USPAT; IBM_TDB	OR	ON	2010/05/24 14:22
L30	156	L29 and L19	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22

L31	52513	(cpu processor\$1 microprocessor\$1 (process\$3 near3 unit \$1) microcontroller \$1) near7 (id identifier\$1 identification\$1 serial \$1 (identif\$8 near2 number))	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22
L32	3773	(decrypt\$7 decipher \$8) near8 (encrypt\$9 encod\$3 encipher\$9 cipher\$9 protect\$4) near8 (software\$1 program\$3 application \$1)	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22
L33	618	L31 and L32	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22
L34	5822	(decrypt\$7 decipher \$8) near5 (procedure \$1 algorithm\$1 scheme\$1 technique \$1)	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22
L35	260	L33 and L34	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22
L36	1739	(processor\$1 microcontroller\$1 micro-controller\$1 (process\$3 near3 unit \$1) microprocessor\$1 cpu micro-processor \$1) near6 (access\$8) near6 (id identifier\$1 identification\$1 (serial \$1 near2 number\$1) (identify\$3 near2 number))	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22
L37	15	L35 and L36	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22
L38	85	gene near3 frantz	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22
L39	96890	(encrypt\$9 encod\$3 encipher\$9 cipher\$9 protect\$4) near8 (software\$1 program \$3 application\$1)	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22

L40	5	L38 and L39	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22
L41	67	L38 and (decrypt\$7 decipher\$8 decod\$3)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22
L42	20	L41 and (encrypt\$9 encod\$3 encipher\$9 cipher\$9)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22
L43	3277	L39 and L34	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22
L44	608	L31 and L43	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22
L45	56	L44 and L36	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:22
L46	11	(retriev\$3 obtain\$3) near5 (serial\$1 near2 number\$1) near6 (nonvolatile\$1 non- volatile\$1)	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:27
L47	1	46 and (decrypt\$5 decipher\$9)	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:46
L48	325	(serial\$1 near2 number\$1) near6 (nonvolatile\$1 non- volatile\$1)	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:48
L49	59	39 and 48	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:48
L50	3644	(decrypt\$7 decipher \$8) near7 39	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:49
L51	9	48 and 50	USPAT; IBM_TDB	OR	OFF	2010/05/24 14:49

EAST Search History (Interference)

< This search history is empty >

5/ 24/ 10 2:55:47 PM

C:\ Documents and Settings\ LHa\ My Documents\ EAST\ Workspaces\ 10805776.wsp